

FRACTION	DECIMAL	MILLIMETER
	.0098	.2500
1/64	.0156	.3969
	.0197	.5000
	.0295	.7500
1/32	.0313	.7938
	.0394	1.0000
3/64	.0496	1.1906
	.0591	1.5000
1/16	.0625	1.5875
	.0781	1.9844
	.0787	2.0000
3/32	.0938	2.3813
	.1094	2.7781
	.1181	3.0000
1/8	.1250	3.1750
	.1406	3.5719
5/32	.1562	3.9688
	.1575	4.0000
11/64	.1719	4.3656
3/16	.1875	4.7625
	.1969	5.0000
13/64	.2031	5.1594
7/32	.2188	5.5563
	.2344	5.9531
	.2362	6.0000
1/4	.2500	6.3500
	.2656	6.7469
	.2756	7.0000
9/32	.2813	7.1438
	.2969	7.5406
5/16	.3125	7.9375
	.3150	8.0000
21/64	.3281	8.3344
11/32	.3438	8.7313
	.3543	9.0000
23/64	.3594	9.1281
3/8	.3750	9.5250
	.3906	9.9219
	.3937	10.0000
13/32	.4063	10.3188
	.4219	10.7156
	.4331	11.0000
7/16	.4375	11.1125
	.4531	11.5094
15/32	.4688	11.9063
	.4724	12.0000
31/64	.4844	12.3031
1/2	.5000	12.7000

INCHES X 25.4= MILLIMETERS
MILLIMETERS X .03937 = INCHES
CU. IN. X 16.38716 = C.C.
LITERS X 61.023 = CUBIC INCHES

FRACTION	DECIMAL	MILLIMETER
	.5118	13.0000
33/64	.5156	13.0969
17/32	.5313	13.4938
	.5469	13.8906
	.5512	14.0000
9/16	.5625	14.2875
	.5781	14.6844
	.5906	15.0000
19/32	.5938	15.0813
	.6094	15.4781
5/8	.6250	15.8750
	.6299	16.0000
	.6406	16.2719
21/32	.6563	16.6688
	.6693	17.0000
	.6719	17.0656
11/16	.6875	17.4625
	.7031	17.8594
	.7087	18.0000
23/32	.7188	18.2563
	.7344	18.6531
	.7480	19.0000
3/4	.7500	19.0500
	.7656	19.4469
25/32	.7813	19.8438
	.7874	20.0000
	.7969	20.2406
13/16	.8125	20.6375
	.8268	21.0000
	.8281	21.0344
27/32	.8438	21.4313
	.8594	21.8281
	.8661	22.0000
7/8	.8750	22.2250
	.8906	22.6219
	.9055	23.0000
29/32	.9063	23.0188
	.9219	23.4156
15/16	.9375	23.8125
	.9446	24.0000
	.9531	24.2094
31/32	.9688	24.6063
	.9843	25.0000
	.9844	25.0031
1	1.0000	25.4000

Hunt's
Machine.com
"We Rebuild Engines"

518-372-7177

LITERS	CUBIC INCHES	LITERS	CUBIC INCHES	LITERS	CUBIC INCHES	LITERS	CUBIC INCHES
1.0	61	2.6	156	4.2	255	6.0	368
1.1	67	2.6	158.6	4.2	258	6.1	370
1.2	73	2.7	165	4.3	260	6.2	379
1.3	79	2.8	171	4.3	262	6.2	381
1.4	86	2.8	173	4.3	265	6.3	384
1.5	92	2.9	177	4.4	267	6.4	390
1.6	96	2.9	180	4.5	275	6.5	395
1.6	97	3.0	184	4.6	281	6.6	400
1.6	97.6	3.1	189	4.8	292	6.6	403
1.6	98	3.2	196	4.9	300	6.8	415
1.7	105	3.2	198	4.9	301	6.9	420
1.8	109.5	3.3	198.5	5.0	302	7.0	425
1.8	109.8	3.3	200	5.0	304	7.0	427
1.9	118	3.4	207	5.0	305	7.0	429
2.0	121	3.5	214	5.0	307	7.2	440
2.0	121.7	3.6	220	5.2	318	7.3	445
2.0	122	3.7	225	5.3	323	7.4	454
2.1	128	3.8	229	5.4	330	7.5	455
2.2	134	3.8	231	5.6	342	7.5	460
2.2	135	3.8	232	5.7	345	7.8	488
2.3	140	3.9	238	5.7	350	8.0	488
2.4	146	4.0	243	5.8	351	8.1	494
2.5	150	4.1	250	5.9	360	8.2	500
2.5	151	4.1	252	6.0	366	8.8	534